CONTENTS

Volume 27, Issue Nos 1–15

International Journal of ENERGY RESEARCH

VOLUME 27, ISSUE No. 1 January 2003

Evaluation of solar fraction (Fn) for quonset type empty greenhouse: an experimental validation: G. N. Tiwari, A. Gupta, D. Jain and M. S. Sodha 1

Simplified models for the performance evaluation of desiccant wheel dehumidification: M. Beccali, F. Butera, R. Guanella and R. S. Adhikari 17

Energy conservation conflicts in district heating systems: B. Rolfsman and S.-I. Gustafsson 31

Investigation into the performance of a micro gravitational heat pipe and a micro gravitational heat pipe with artery: S. B. Riffat, X. Zhao and P. S. Doherty 45

Study of viscosity and thermal conductivity effects on condensation characteristics of some new alternative refrigerant mixtures: S. M. Sami and J. D. Comeau 63

Effect of thermal storage on the performance of greenhouse: M. Din, G. N. Tiwari, M. K. Ghosal, N. S. L. Srivastava, Md. Imran Khan and M. S. Sodha 79

VOLUME 27, ISSUE No. 2 February 2003

A simulation for predicting the refrigerant flow characteristics including metastable region in adiabatic capillary tubes: S. Wongwises and M. Suchatawut 93

Pool boiling on a superhydrophilic surface: Y. Takata, S. Hidaka, M. Masuda and T. Ito 111

Study of liquid injection impact on the performance of new refrigerant mixtures: S. M. Sami and S. Aucoin 121

Investigation into the potential of a novel superacid catalyst for the catalytic upgrading of pyrolytic bio-oil: N. G. Wilson and P. T. Williams 131

A distributed model of a space heat pump under transient conditions: H. Jiang and R. Radermacher .. 145

Unsteady thermal flow analysis in a heat regenerator with spherical particles: P. M. Park, H. C. Cho and H. D. Shin 161

Strategic appraisal of energy models for Mozambique: A. G. Kagiannas, T. Didis, D. Th. Askounis and J. Psarras 173

VOLUME 27, ISSUE No. 3 10 March 2003

The performance study of a wet six-row heat-pipe heat exchanger operating in tropical buildings: Y. H. Yau and A. S. Tucker 187

Effect of magnetic field on the performance of new refrigerant mixtures: S. M. Sami and S. Aucoin .. 203

Simulation of an integrated PCM-wallboard system: J.-S. Kim and K. Darkwa 215

Shock tube pyrolysis of thiophene: H. Ur Rahman Memon, A. Williams and P. T. Williams 225

Energy efficient building strategies for school buildings in Oman: Y. H. Zurigat, H. Al-Hinai, B. A. Jubran and Y. S. Al-Masoudi 241

Evaporation-induced Benard convection in a thin liquid layer: S. Torii and W.-J. Yang 255
Boiling heat transfer coefficients inside a vertical smooth tube for the water/lithium bromide mixture: W. Rivera, A. Xicale and O. García-Valladares 265
ANNOUNCEMENT 277

VOLUME 27, ISSUE No. 4 25 March 2003

Special Issue
Transport Phenomena in Energy Systems and Processes

Guest Editorial 281
Constructural tree-shaped paths for conduction and convection: A. Bejan 283
Condensation of steam in the presence of air on a single tube and a tube bank: A. Briggs and S. Sabaratnam 301
Determination of film thickness and flooding during reflux condensation in a small inclined tube with an ultrasonic transducer: S. Fiedler, S. Yildiz and H. Auracher 315
Modelling of combined forced- and natural-convection heat transfer over upward-facing horizontal heated flat plates: K. Kudo, T. Kato, H. Chida, S. Takagi and N. Tsui 327
Fouling effect of water scale on heat transfer around a tube in staggered tube banks: M.-S. Kim, B.-J. Baek and T. Ota 337
The effect of air side fouling on thermal-hydraulic characteristics of a compact heat exchanger: R. Lankinen, J. Suihkonen and P. Sarkomaa 349
Analysis of the coil energy recovery loop system: I. Balen, P. Donjerković and I. Galaso 363
Simple thermal model for online laser curing of thermoset composites in filament winding: X. Wang and D. Y. S. Lou 377
Thermal radiation and chemical reactions in combustion of biofuels: T. K. Nilsson and B. Sundén ... 389
Effects of cathode operating conditions on performance of a PEM fuel cell with interdigitated flow fields: A. Kazim, P. Forges and H. T. Liu 401
Exergy methods for assessing and comparing thermal storage systems: M. A. Rosen and I. Dincer ... 415
Modelling and simulation of cyclic thermal regenerators utilizing encapsulated phase change materials (PCMs): N. S. Tabrizi and M. Sadrameli 431
Modelling of residential energy consumption at the national level: M. Aydinalp, V. I. Ugursal and A. S. Fung 441
Investigation of energy saving and NO_x reduction possibilities in a rotary cement kiln: F. Akgun 455

VOLUME 27, ISSUE No. 5 April 2003

Viability of LPG use in low-power outboard engines for reduction in consumption and pollutant emissions: S. Murillo, J. L. Miguez, J. Porteiro, J. J. Hernández and L. M. López-González 467
Life cycle assessment of a PPV plant applied to an existing SUW management system: F. Di Maria, S. Saetta and D. Leonardi 481
Numerical simulation of thermal-hydraulic characteristics in a proton exchange membrane fuel cell: Y. M. Ferng, C. C. Sun and A. Su 495

On the use of reactive power as an endogenous variable in short-term load forecasting: P. J. Santos, A. G. Martins and A. J. Pires 513

Study on a direct-expansion solar-assisted heat pump water heating system: Y. H. Kuang, K. Sumathy, and R. Z. Wang 531

VOLUME 27, ISSUE No. 6 May 2003

Performance study of a partial gasification pressurized combustion topping gas cycle and split Rankine combined cycle: Part I—Energy analysis: S. De, D. Roy and A. Sarkar 549

Performance study of a partial gasification pressurized combustion topping gas cycle and split Rankine combined cycle: Part II—Exergy analysis: S. De, D. Roy and A. Sarkar 561

Developing a new cost-efficient control strategy for an actual confectionery plant through the combined exploitation of experimental and numerical analysis: P. Lunghi and F. Mariani 575

An air filter pressure loss model for fan energy calculation in air handling units: M. Liu, D. E. Claridge and S. Deng 589

Models for assessing net CO_2 emissions applied on district heating technologies: S. Grönkvist, J. Sjödin and M. Westermark 601

Grid-interpolation data pre-processor for radial basis function network solar cell model: M. AbdulHadi, A. Al-Ibrahim and G. S. Virk 615

VOLUME 27, ISSUE No. 7 10 June 2003

Indirect evaporative cooling and economy cycle in summer air conditioning: A. Gasparella and G. A. Longo 625

Numerical study on flame structure in H_2–O_2/CO_2 laminar flames: J. Park, S.-I. Keel, S.-H. Shim and D.-S. Noh 639

Refrigeration plant exergetic analysis varying the compressor capacity: C. Aprea, F. de Rossi, A. Greco and C. Renno 653

Power sector development in India with CO_2 emission targets: Effects of regional grid integration and the role of clean technologies: A. K. Srivastava, R. M. Shrestha, S. C. Srivastava, R. Shrestha and D. Paul 671

On energy conservation policies and implementation practices: I. Dincer 687

VOLUME 27, ISSUE No. 8 25 June 2003

Analysis of two-dimensional heat and moisture transfer during drying of spherical objects: M. M. Hussain and I. Dincer 703

Optimization of tree-shaped flow distribution structures over a disc-shaped area: S. Lorente, W. Wechsatol and A. Bejan 715

Comparative study between parallel and counter flow configurations between air and falling film desiccant in the presence of nanoparticle suspensions: A. Ali, K. Vafai and A.-R. A. Khaled 725

Effect of surfactants and liquid hydrocarbons on gas hydrate formation rate and storage capacity: Z. Sun, R. Wang, R. Ma, K. Guo and S. Fan 747

Design and operating parameters for push–pull ventilation of open surface tanks: M. Robinson and D. B. Ingham 757

Influence of external surface color on the periodic heat flow through a flat solid roof with variable thermal resistance: A. D. Granja and L. C. Labaki 771

VOLUME 27, ISSUE No. 9 July 2003

Characterization of Thai limestone for desulphurization in a fluidized bed combustor: S. Tia and T. Bunjungla-eid 781

Time-dependent heat transfer coefficient of a wall: P. E. Ergatis, P. G. Massouros, G. C. Athanasouli and G. P. Massouros 795

Fundamental heat transfer mechanism between bed-to-membrane water-walls in circulating fluidized bed combustors: B. V. Reddy 813

Flows in environmental fluids and porous media: A. Bejan 825

Generation of typical solar radiation data for İstanbul, Turkey: H. Bulut 847

VOLUME 27, ISSUE No. 10 August 2003

Special Issue
Heat and Mass Transfer in Porous Media

Foreword: A. Bejan, D. B. Ingham and E. Mamut 857

Simple methods of convection in porous media: scale analysis and the intersection of asymptotes: A. Bejan 859

Flows through horizontal channels of porous materials: A. K. Al-Hadhrami, L. Elliot, D. B. Ingham and X. Wen 875

Heat transfer through a vertical partition separating porous-porous or porous-fluid reservoirs at different temperatures: S. Kimura 891

Penetration of ionic species into saturated porous media: the case of concrete: S. Lorente, M. Carcasses and J. P. Ollivier 907

Three-dimensional stagnation point free convection on a reactive surface in a porous medium: I. Pop, S. D. Harris, D. B. Ingham and S. Rhea 919

Small and moderate Prandtl number convection in a porous layer heated from below: P. Vadasz 941

The onset of Darcey-Brinkman convection in a porous layer using a thermal nonequilibrium model—Part I. stress-free boundaries: A. Postelnicu and D. A. S. Rees 961

Thermal non-equilibrium natural convection in a square enclosure filled with a heat-generating solid phase, non-Darcy porous medium: A. C. Baytas 975

VOLUME 27, ISSUE No. 11 September 2003

Energy and exergy analyses of sugar production stages: M. Bayrak, A. Midilli and K. Nurveren 989

Comparison of entropy minimization principles in heat exchange and a short-cut principle: EoTD: F. Balkan 1003

Modelling of a pin-fin heat converter with fluid cooling for power semiconductor modules: I. Khorunzhii, H. Gabor, R. Job, W. R. Fahrner and H. Baumann 1015

Mathematical modelling of hydrogen storage in a $LaNi_5$ hydride bed: Y. Kaplan and T. N. Veziroglu . 1027
Analysis of mixing distribution in an engine-like configuration: M. E. Arici and T. T. Maxwell 1039
Investigation of thermal performance of a ground coupled heat pump system with a cylindrical energy storage tank: R. Yumrutas, M. Kunduz and T. Ayhan 1051

VOLUME 27, ISSUE No. 12 10 October 2003

Exergy losses in refrigerating systems. A Study for performance comparison in compressor and condenser: A. Stegou-Sagia and N. Paignigiannis 1067
Application of exergy analysis to various psychrometric processes: B. A. Qreshi and S. M. Zubair ... 1079
Modeling CO poisioning and O_2 bleeding in a PEM fuel cell anode: J. J. Baschuk and X. Li 1095
Freezing time calculations for various products: E. M. A. Mokheimer, N. M. A. El-Aziz, H. E. M. Amin and M. I. Salem 1117
Liquid diffusion model for drying a stack of rough rice: K. Kahveci, A. Cihan and M. C. Ece 1131

VOLUME 27, ISSUE No. 13 25 October 2003

Correlations for sizing adiabatic capillary tubes: V. Trisaksri and S. Wongwises 1145
Implications of seasonal and diurnal variations of wind velocity for power output estimation of a turbine: A case study of Greneda: D. Weisser and T. J. Foxon 1165
Emission of trace toxic metals during pulverised fuel combustion of Czech coals: P. Danihelka, Z. Volna, J. M. Jones and A. Williams 1181
Chemical effects of CO_2 addition to oxidizer and fuel streams on flame structure in H_2-O_2 counterflow diffusion flames: J. Park, D.-J. Hwang, J.-G. Choi, K.-M. Lee, S.-I. Keel and S.-H. Shim 1205

VOLUME 27, ISSUE No. 14 November 2003

Development and validation of a comprehensive two-zone model for combustion and emissions formation in a DI diesel engine: C. D. Rakopoulos, D. C. Rakopoulos and D. C. Kyritsis 1221
Generation unit selection via capital asset pricing model for generation planning: R. Cahyadi, K. J. Min, C.-H. Wang and N. Abi-Samra 1251
Behaviour of refrigerant mixtures with gas/liquid injection: S. M. Sami and S. Aucoin 1265
Single stage and double absorption heat transformers used to recover energy in a distillation column of butane and pentane: W. Rivera, J. Cerezo, R. Rivero, J. Cervantes and R. Best 1279
Date palm fibre reinforced composite as a new insulating material: F. A. Al-Sulaiman 1293

VOLUME 27, ISSUE No. 15 December 2003

Thermodynamic analysis and optimization of a combined adsorption heating and cooling system: K. H. Yeung and K. Sumathy 1299
Use of desiccant dehumidification to improve energy utilization in air-condition systems in Beirut: N. Ghaddar, K. Ghali and A. Najm 1317
Flame structure and NO emissions in gas combustion of low calorific heating value: J. Park, J.-G. Choi, S.-I. Keel and T.-K. Kim 1339
AUTHOR INDEX 1363
KEYWORD INDEX 1365